



AMAYEZA E-TB WABANTWANA: ISIKHOKELO SOKULINGANISELA ESILULA NGAMANYATHELO NJE AMATHATHU ALULA



! UZA KUFUMANA


RHZ (75/50/150)



RHZ
(75/50/150)

i-Rifampicin + Isoniazid
+ Pyrazinamide (RHZ) yipilisi
exubeka lula namanzi.

ne Ethambutol (400mg)



E
(400MG)



i- Ethambutol onokuyiguba uze
uyixube namanzi.

Kuza kufuneka uwalungise OMABINI amayeza
uze uwanike umntwana wakho omabini yonke
imihla (nangeempelaveki!). Emva kweenyanga ezi-
2, amayeza omntwana wakho aza kutshintsha.
Umntwana wakho uza kuwasela amayeza iinyanga
ezi-4 ukuya kwezi-6 zizonke.

* QAPHELA

INGABA UYAKWAZI UKUGINYA IIPILISI?

Fundisa umntwana wakho ukuginya
ipilisi epheleleyo okanye isiqingatha
sayo. Ukuba umntwana wakho
akanakukwazi ukuginya iipilisi,
kuza kufuneka uzigube uze uzixube
namanzi ukuze kube lula ukuzinika
umntwana wakho.



If possible give medication on empty stomach, but can be taken with food.

STEP

1

**UNESI
WAKHO UZA
KUJONGA
UBUNZIMA
BOMNTWANA
WAKHO**



STEP

2

**UBUNZIMA
BOMNTWANA
WAKHO BUZA
KUJONGWA
NGOKWETSHATHI
YOMLINGANISELO**



health

Department:
Health
REPUBLIC OF SOUTH AFRICA

Gates Foundation




THINKTANK



AMAYEZA E-TB WABANTWANA:


INDLELA YOKUGUBA, UKUXUBA NOKUSEZA



I-ETHAMBUTOL (400mg)


Lungela!
Uza kudinga:

- Isirinji esinye (somlinganiselo)
- Amanzi acocekileyo
- Amacephe ama-2
- 400mg yepilisi ye-ethambutol



RHZ (75/50/150)



Kumanzi angangeemililitha ezi-5 – 10.
(lipilisi zixubeka lula emanzini).




5-10ml

Nyibilikisa emanzini; lahla izizekevu (portions) ezingasetyenziswanga emva kokulinganisela ithamo.


1 Guba ipilisi
Beka ipilisi enye ecepheni.




2 Yongeza amanzi
Sebenzisa isirinji ukulinganisa isi-8ml zamanzi.
Yongeza amanzi.




3 Yixube kakuhle
Zamisa ipilisi egutyiweyo namanzi.



4 Linganisa umthamo ochanekileyo
Sebenzisa isirinji ukufunxa ubungakanani obubhalwe kwitshathi yomntwana wakho.



5 Nika umntwana wakho iyeza usebenzisa isirinji.



6 Lahla nawuphi na umxube oseleyo.



KHUMBULA



Mnike iyeza qho ngosuku, ngexesha olimiseleyo.



Hlamba izandla rhoqo.



Emva kokugqiba iinyanga ezimbini, unesi wakho uza kukunika unyango olongezelelekileyo ukuze ugqibezele.



health

Department:
Health
REPUBLIC OF SOUTH AFRICA

Gates Foundation



THINKTANK



STEP

3

LANDELA

ITSHATHI

YOKULIN-

GANISELA

AMAYEZA E-TB

ABANTWANA:

ABAKHATHALELI:

SEBENZISA LE TSHATHI UKULUNGISELELA

ITHAMO LOMNTWANA WAKHO

	I-RHZ (75/50/150)	I-ETHAMBUTOL (400MG)
Iyeza	Yiginye yonke OKANYE yinyibilikise emanzini.	Yiginye yonke OKANYE yigube uze uxube ipilisi kwiimililitha ezisi-8 zamanzi
Ubunzima boMntwana	Kubantwana abangaphantsi kweekhilogram ezi-2 zobunzima bomzimba, nceda uthethe nengcali	
2 – 2.9 kg	Xuba i-½ yepilisi kwiimililitha ezi-5 zamanzi	Sebenzisa imililitha enye kuphela kwezisi-8 zomxube ogutyiweyo obuwlungisile. Lahla umxube ongasetyenziswanga
3 – 3.9 kg	Xuba ipilisi kwiimililitha ezi-4 zamanzi. Give only 3ml of your mixture. Lahla umxube oseleyo.	Sebenzisa imililitha enye enesi-5 kuphela kwezisi-8 zomxube ogutyiweyo obuwlungisile. Lahla umxube oseleyo.
4 – 7.9 kg	Xuba ipilisi enye kwiimililitha ezi-5 zamanzi.	USebenzisa iimililitha ezi-2 ezinesi-5 kuphela kwezisi-8 zomxube ogutyiweyo obuwlungisile. Lahla umxube ongasetyenziswanga.
8 – 11.9 kg	Nika umntwana wakho ipilisi ezi-2 aziginye OKANYE uxube ipilisi kwiimililitha ezili-10 zamanzi.	Nika umntwana wakho i-½ yepilisi ayiginye OKANYE usebenzise imililitha ezi-4 kuphela kwezisi-8 zomxube ogutyiweyo obuwlungisile. Lahla umxube ongasetyenziswanga
12 – 15.9 kg	Nika umntwana wakho ipilisi ezi-3 aziginye OKANYE uxube ipilisi kwiimililitha ezili-10 zamanzi.	Sebenzisa iimililitha ezi-6 kuphela kwezisi-8 zomxube ogutyiweyo obuwlungisile. Lahla umxube ongasetyenziswanga.
16 – 24.9 kg	Nika umntwana wakho ipilisi ezi-4 aziginye OKANYE uxube ipilisi kwiimililitha ezili-10 zamanzi.	Nika umntwana wakho ipilisi enye ayiginye OKANYE uwusebenzise wonke umxube ogutyiweyo ubuwlungisile
Kubantwana abanobunzima obungaphezu kwama-25 kg	i-RHZE Le yipilisi enye enamayeza amane kuyo. Ginya ipilisi ziphelele njengoko zinjalo ngamanzi. Landela isikhokelo sokulinganisa esingezantsi.	
25 – 29.9 kg	lipilisi ezi-2	
30 – 34.9 kg	lipilisi ezi-3	
35 – 64.9 kg	lipilisi ezi-4	
65 kg nangaphezulu	lipilisi ezi-5	